

## NORM5 upright

Технические характеристики изделия 0101327 | RG-RS/N5 600kg



Показан пример без декоративных элементов, точность технического описания не гарантируется.

## Технические характеристики

**Размер ячейки:** 150 mm

Max. section load 600

**Carbon footprint (TM65 Basic Report)** 49 kgCO□e

**Macca:** 5 κΓ

**Ширина:** 600 мм

**Глубина:** 26 мм

Высота: 1960 мм

Modular shelving system made of high-quality stainless steel 1.4301 in hygienic design as per DIN 18868-2, suitable for continuous use at -40 to +140 $^{\circ}$ F (-40 to +60 $^{\circ}$ C), for arrangement in a straight line or for angled setup with corner hooks, freely extendable lengthwise.

Uprights made of  $1.0 \times 1.0$ " (25 × 25 mm) square tubes, connected and stabilised by press-fitted  $2.0 \times 0.08$ " (50 × 2 mm) upright spokes running crosswise. Upper covering caps made of plastic, height-adjustable screw feet for compensating floor unevennesses of up to 1.0" (25 mm) as hygienic ending of upright. Welded Ø 0. 28" (7 mm) shelf bolts at distances of 5.9" (150 mm) for easy attaching of shelves.

Дата обращения: 30.04.2025, 00:20:58

Значения величин и размеров являются приблизительными, точность технического описания не гарантируется. © Hupfer